



ARCHITECTURAL LIGHTS

PRODUCT CATALOGUE VOL 3.0

TABLE OF CONTENTS

Pro Architectural Spots

> Laser Spots

> Pro+ Architectural Spots

> Commercial Lights

> Downlights

> Surface Architectural Spots


> Profile Lights

> Strip Lights

PRO SPOT SERIES

DEEP

The new DEEP spotlights captivate in design, technology and lighting effect. The unique structure with various kinds of trims by shapes and colours which is revealed. Through its geometry, the minimalist form can be displayed to its best advantage.



2

FEATURES



4

NL Arc

Watts	7W
Size	68*62mm
LED	Cree
Driver	Fulham/Eaglerise
Beam Angle	24/36/60
CCT	3K/4K/6K/Tunable
Cutout	60mm
Finish	PKW/BK



CREE **FULHAM**
Harness the Horsepower
Shinland Optics **PHILIPS**



NL Arc

Watts	12W
Size	85*73mm
LED	Cree
Driver	Fulham/Eaglerise
Beam Angle	24/36/60
CCT	3K/4K/6K/Tunable
Cutout	75mm
Finish	PKW/BK



CREE **FULHAM**
Harness the Horsepower
Shinland Optics **PHILIPS**



NL Deep

Watts	12/15W
Size	90*95mm
LED	Cree
Driver	Fulham/Eaglerise
Beam Angle	24/36/60
CCT	3K/4K/6K/Tunable
Cutout	80mm
Finish	PKW/BK




CREE **FULHAM**
Harness the Horsepower
Shinland Optics **PHILIPS**



NL Concave

Watts	12W
Size	85*73mm
LED	Cree
Driver	Fulham/Eaglerise
Beam Angle	24/36/60
CCT	3K/4K/6K/Tunable
Cutout	75mm
Finish	PKW/BK



CREE **FULHAM**
Harness the Horsepower
Shinland Optics **PHILIPS**

NL Baffle

Watts	5W
Size	40*45 mm
LED	Cree
Driver	Fulham/Eaglerise
Beam Angle	24/36/60
CCT	3K/4K/6K/Tunable
Cutout	35mm
Finish	PKW/BK



CREE **FULHAM**
Harness the Horsepower
Shinland Optics **PHILIPS**



NL Baffle

Watts	12W
Size	59*82 mm
LED	Cree
Driver	Fulham/Eaglerise
Beam Angle	24/36/60
CCT	3K/4K/6K/Tunable
Cutout	55mm
Finish	PKW/BK




CREE **FULHAM**
Harness the Horsepower
Shinland Optics **PHILIPS**



NL Exotic


Watts	7W
Size	80*62mm
LED	Cree
Driver	Fulham/Eaglerise
Beam Angle	24/36/60
CCT	3K/4K/6K/Tunable
Cutout	62mm
Finish	PKW/BK/Rosegold/ Chrome



CREE **FULHAM**
Harness the Horsepower
Shinland Optics **PHILIPS**

NL Exotic

Watts	12/15W
Size	85*80mm
LED	Cree
Driver	Fulham/Eaglerise
Beam Angle	24/36/60
CCT	3K/4K/6K/Tunable
Cutout	75mm
Finish	PKW/BK/Rosegold/ Chrome



CREE **FULHAM**
Harness the Horsepower
Shinland Optics **PHILIPS**


EXOTIC PLUS

Disassembly diagram of lamp body



NL Exotic Plus


Watts	7W
Size	65*70mm
LED	Cree
Driver	Fulham/Eaglerise
Beam Angle	24/36/60
CCT	3K/4K/6K/Tynable
Cutout	55mm
Finish	PKW/BK/Rosegold/ Chrome



CREE **FULHAM**
Optics
Shinland **PHILIPS**

NL Exotic Plus


Watts	12/15W
Size	85*85mm
LED	Cree
Driver	Fulham/Eaglerise
Beam Angle	24/36/60
CCT	3K/4K/6K/Tynable
Cutout	75mm
Finish	PKW/BK/Rosegold/ Chrome



CREE **FULHAM**
Optics
Shinland **PHILIPS**

NL Gloria


Watts	7W
Size	59*39mm
LED	Cree
Driver	Fulham/Eaglerise
Beam Angle	24/36/60
CCT	3K/4K/6K/Tynable
Cutout	33mm
Finish	PKW/BK/Rosegold



CREE **FULHAM**
Harness the Horsepower
Shinland Optics **PHILIPS**

NL Gloria


Watts	12/14W
Size	70*58mm
LED	Cree
Driver	Fulham/Eaglerise
Beam Angle	24/36/60
CCT	3K/4K/6K/Tynable
Cutout	52mm
Finish	PKW/BK/Rosegold



CREE **FULHAM**
Harness the Horsepower
Shinland Optics **PHILIPS**

TRIMLESS


Watts	9W
Size	85*80mm
LED	Cree
Driver	Fulham/Eaglerise
Beam Angle	15/24/40deg
CCT	3K/4K/6K
Cutout	78mm
Finish	White, black, Rose gold, Chrome



CREE **FULHAM**
Harness the Horsepower
Shinland Optics **PHILIPS**

TRIMLESS

Watts	12/15W
Size	85*80mm
LED	Cree
Driver	Fulham/Eaglerise
Beam Angle	15/24/40deg
CCT	3K/4K/6K
Cutout	78mm
Finish	White, black, Rose gold, Chrome



CREE **FULHAM**
Harness the Horsepower
Shinland Optics **PHILIPS**

SOPHIA

Watts	9W
Size	78*91mm
LED	Cree
Driver	Fulham/Eaglerise
Beam Angle	15/24/40deg
CCT	3K/4K/6K
Cutout	70mm
Finish	White, black



CREE **FULHAM**
Harness the Horsepower
Shinland Optics **PHILIPS**

NL Sophia SQ


Watts	18W
Size	145*90mm
LED	Cree
Driver	Fulham/Eaglerise
Beam Angle	24/36/60
CCT	3K/4K/6K/Tunable
Cutout	135*70mm
Finish	PKW/BK



CREE **FULHAM**
Harness the Horsepower
Shinland Optics **PHILIPS**

NL Botho A


Watts	14/18W
Size	185*100*95mm
LED	Cree
Driver	Fulham/Eaglerise
Beam Angle	24/36/60
CCT	3K/4K/6K/Tunable
Cutout	170*88mm
Finish	PKW/BK



CREE **FULHAM**
Harness the Horsepower
Shinland Optics **PHILIPS**

NL Botho B

Watts	24/30W
Size	185*100*110mm
LED	Cree
Driver	Fulham/Eaglerise
Beam Angle	24/36/60
CCT	3K/4K/6K/Tunable
Cutout	170*88mm
Finish	PKW/BK



CREE **FULHAM**
Harness the Horsepower
Shinland Optics **PHILIPS**

LIGHTKEY


LASER BLADE SERIES

RECESSED MOUNTED LED NARROW LIGHT

- Reflector color: white/black/silver/chrome
- Round spot/square spot/rectangle spot
- Deep anti-glare

NL Linea 20


Watts	6W
Size	74*34*40mm
LED	Cree
Driver	Fulham/Eaglerise
Beam Angle	24/36/60
CCT	3K/4K/6K/Tunable
Cutout	66*25mm
Finish	PKW/BK/Rgd/Chrome



CREE **FULHAM**
Harness the Horsepower
Shinland Optics **PHILIPS**

NL Linea 20


Watts	12W
Size	134*33*40mm
LED	Cree
Driver	Fulham/Eaglerise
Beam Angle	24/36/60
CCT	3K/4K/6K/Tunable
Cutout	125*26mm
Finish	PKW/BK/Rgd/Chrome



CREE **FULHAM**
Harness the Horsepower
Shinland Optics **PHILIPS**

NL Dark Knight

Watts	5W
Size	74*44*40mm
LED	Cree
Driver	Fulham/Eaglerise
Beam Angle	24/36/60
CCT	3K/4K/6K/Tunable
Cutout	65*35mm
Finish	PKW/BK/Rgd/Chrome



CREE **FULHAM**
Harness the Horsepower
Shinland Optics **PHILIPS**

NL Dark Knight

Watts	12W
Size	146*44*40mm
LED	Cree
Driver	Fulham/Eaglerise
Beam Angle	24/36/60
CCT	3K/4K/6K/Tunable
Cutout	137*35mm
Finish	PKW/BK/Rgd/Chrome



CREE **FULHAM**
Harness the Horsepower
Shinland Optics **PHILIPS**

NL Diamond Linea


Watts	5W
Size	74*44*48mm
LED	Cree
Driver	Fulham/Eaglerise
Beam Angle	24/36/60
CCT	3K/4K/6K/Tunable
Cutout	65*35mm
Finish	PKW/BK/Chrome



CREE **FULHAM**
Harness the Horsepower
Shinland Optics **PHILIPS**

NL Diamond Linea


Watts	12W
Size	164*44*48mm
LED	Cree
Driver	Fulham/Eaglerise
Beam Angle	24/36/60
CCT	3K/4K/6K/Tunable
Cutout	155*35mm
Finish	PKW/BK/Chrome



CREE **FULHAM**
Harness the Horsepower
Shinland Optics **PHILIPS**

NL Shadow

Watts	6W
Size	82*46*56mm
LED	Cree
Driver	Fulham/Eaglerise
Beam Angle	24/36/60
CCT	3K/4K/6K/Tunable
Cutout	75*40mm
Finish	PKW/BK/Gold



CREE **FULHAM**
Harness the Horsepower
Shinland Optics **PHILIPS**

NL Shadow

Watts	9W
Size	117*46*56mm
LED	Cree
Driver	Fulham/Eaglerise
Beam Angle	24/36/60
CCT	3K/4K/6K/Tunable
Cutout	110*40mm
Finish	PKW/BK/Gold



CREE **FULHAM**
Harness the Horsepower
Shinland Optics **PHILIPS**

NL Shadow


Watts	12W
Size	187*46*56mm
LED	Cree
Driver	Fulham/Eaglerise
Beam Angle	24/36/60
CCT	3K/4K/6K/Tunable
Cutout	180*40mm
Finish	PKW/BK/Gold



CREE **FULHAM**
Harness the Horsepower
Shinland Optics **PHILIPS**

NL Shadow Trimless


Watts	20W
Size	187*46*56mm
LED	Cree
Driver	Fulham/Eaglerise
Beam Angle	24/36/60
CCT	3K/4K/6K/Tynable
Cutout	180*40mm
Finish	PKW/BK/Gold



CREE **FULHAM**
Harness the Micropower
Shinland Optics **PHILIPS**



NL Dark Art Architectural Spot Light




Unique cold / warm appearance

The DARK REFLECTOR appears almost the same in the ON and OFF states. This elegant effect leads to the unique fact that it is difficult to tell where the light is coming from. The subtle difference can only be seen when looking directly into the light source.

NL Dark

Watts	4W
Size	44*58mm
LED	Cree
Driver	Fulham/Eaglerise
Beam Angle	24/36/60 deg
CCT	3K/4K/6K
Cutout	50mm
Finish	PKW/BK



CREE **FULHAM**
Harness the Horsepower
Shinland Optics **PHILIPS**

NL Dark


Watts	12W
Size	65*71mm
LED	Cree
Driver	Fulham/Eaglerise
Beam Angle	24/36/60 deg
CCT	3K/4K/6K
Cutout	60mm
Finish	PKW/BK



CREE **FULHAM**
Harness the Horsepower
Shinland Optics **PHILIPS**

NL Dark

Watts	15W
Size	83*84mm
LED	Cree
Driver	Fulham/Eaglerise
Beam Angle	24/36/60 deg
CCT	3K/4K/6K
Cutout	78mm
Finish	PKW/BK




CREE **FULHAM**
Harness the Horsepower
Shinland Optics **PHILIPS**

NL Dark Art Tilt Architectural Spot Series





NL Minerva

Watts	12W
Size	83*84mm
LED	Cree
Driver	Fulham/Eaglerise
Beam Angle	24/36/60 deg
CCT	3K/4K/6K
Cutout	78mm
Finish	PKW/BK




CREE **FULHAM**
Harness the Horsepower
Shinland Optics **PHILIPS**

NL Miracle Architectural Spot Light Series



Various styles

The same radiator module and radiator module connection module can be equipped with different outer rings to form different styles of lamps.





SIZE LINEUP



[Beam Angle] ▮ Extra Narrow ▮ Narrow ▮ Medium ▮ Wide ▮ Extra wide

[CCT] ○ 5000K ○ 4000K ○ 3500K ○ 3000K ○ 2700K





8°



15°




24°




36°




60°




Anti glare honeycomb




Antifogging lens +
sealing ring




Soft lens




Stretch lens



Circular rimmed outer ring




Circular rimless outer ring



NL Miracle


Watts	25W
Size	115*119mm
LED	Cree
Driver	Fulham/Eaglerise
Beam Angle	24/36/60
CCT	3K/4K/6K/Tunable
Cutout	105mm
Finish	PKW/BK/Chrome



CREE **FULHAM**
Harness the Horsepower
Shinland Optics **PHILIPS**

NL Miracle


Watts	12W
Size	91*85mm
LED	Cree
Driver	Fulham/Eaglerise
Beam Angle	24/36/60
CCT	3K/4K/6K/Tunable
Cutout	75mm
Finish	PKW/BK/Chrome



CREE **FULHAM**
Harness the Horsepower
Shinland Optics **PHILIPS**

NL Trimless

Watts	12W
Size	85*91mm
LED	Cree
Driver	Fulham/Eaglerise
Beam Angle	24/36/60
CCT	3K/4K/6K/Tunable
Cutout	75mm
Finish	PKW/BK/Chrome



CREE **FULHAM**
Harness the Horsepower
Shinland Optics **PHILIPS**

NL Trimless


Watts	25W
Size	115*119mm
LED	Cree
Driver	Fulham/Eaglerise
Beam Angle	24/36/60
CCT	3K/4K/6K/Tynable
Cutout	105mm
Finish	PKW/BK/Chrome



CREE  **FULHAM**
Harness the Horsepower
Shinland Optics **PHILIPS**

NL Miracle Wall Washer

Watts	12W
Size	91*85mm
LED	Cree
Driver	Fulham/Eaglerise
Beam Angle	24/36/60
CCT	3K/4K/6K/Tynable
Cutout	75mm
Finish	PKW/BK/Chrome




CREE  **FULHAM**
Harness the Horsepower
Shinland Optics **PHILIPS**

NL Abyss Dark Series



NL Abyss Dark


Watts	10W/12w/15w
Size	85*91mm
LED	Cree
Driver	Fulham/Eaglerise
Beam Angle	24/36/60
CCT	3K/4K/6K/Tynable
Cutout	75mm
Finish	PKW/BK/Chrome



CREE **FULHAM**
Harness the Horsepower
Shinland Optics **PHILIPS**


NL Abyss Dark Trimless

Watts	10W/12w/15w
Size	91*85mm
LED	Cree
Driver	Fulham/Eaglerise
Beam Angle	24/36/60
CCT	3K/4K/6K/Tynable
Cutout	75mm
Finish	PKW/BK/Chrome




CREE **FULHAM**
Harness the Horsepower
Shinland Optics **PHILIPS**

NL Arrow




NL Funen

Watts	5W
Size	34*80mm
LED	Cree
Driver	Fulham/Eaglerise
Beam Angle	24/36/60
CCT	3K/4K/6K/Tynable
Cutout	30mm
Finish	PKW/BK




NL Funen

Watts	10W
Size	44*90mm
LED	Cree
Driver	Fulham/Eaglerise
Beam Angle	24/36/60
CCT	3K/4K/6K/Tynable
Cutout	40mm
Finish	PKW/BK



NL SAPHIRE



Sapphire

	WATT	DIMENSION	CUT OUT	CCT (K)	BEAM ANGLE	CRI	MATERIAL	LED BRAND
	7W	62mm x 85mm	55mm	3000k/4000k/6500k/ 3000-6500 (Tunable)	36°	80/90	Aluminum with Sand Finish Coating	Cree/Goldi/Bridgelux
	12W	84mm x 104mm	75mm	3000k/4000k/6500k/ 3000-6500 (Tunable)	36°	80/90	Aluminum with Sand Finish Coating	Cree/Goldi/Bridgelux

Sapphire Double

	WATT	DIMENSION	CUT OUT	CCT (K)	BEAM ANGLE	CRI	MATERIAL	LED BRAND
	2 x 7W	140mm x 78mm x 90mm	126mm x 65mm	3000k/4000k/6500k/ 3000-6500 (Tunable)	36°	80/90	Aluminum with Sand Finish Coating	Cree/Goldi/Bridgelux
	2x12W	195mm x 105mm x 115mm	180mm x 88mm	3000k/4000k/6500k/ 3000-6500 (Tunable)	36°	80/90	Aluminum with Sand Finish Coating	Cree/Goldi/Bridgelux

Sapphire Trimless

	WATT	DIMENSION	CUT OUT	CCT (K)	BEAM ANGLE	CRI	MATERIAL	LED BRAND
	7W	55mm x 86mm	55mm	3000k/4000k/6500k/ 3000-6500 (Tunable)	36°	80/90	Aluminum with Sand Finish Coating	Cree/Goldi/Bridgelux
	12W	77mm x 104mm	77mm	3000k/4000k/6500k/ 3000-6500 (Tunable)	36°	80/90	Aluminum with Sand Finish Coating	Cree/Goldi/Bridgelux

NL ADORE




Adore Laser

	WATT	DIMENSION	CUT OUT	CCT (K)	BEAM ANGLE	CRI	MATERIAL	LED BRAND
	8W	80mm x 35mm	74mm	3000k/4000k/6500k/ 3000-6500 (Tunable)	34°	80/90	Aluminum with Sand Finish Coating	Cree/Goldi/Bridgelux
	15W	128mm x 38mm	120mm	3000k/4000k/6500k/ 3000-6500 (Tunable)	34°	80/90	Aluminum with Sand Finish Coating	Cree/Goldi/Bridgelux
	20W	175mm x 38mm	165mm	3000k/4000k/6500k/ 3000-6500 (Tunable)	34°	80/90	Aluminum with Sand Finish Coating	Cree/Goldi/Bridgelux

Adore Laser Trimless


	WATT	DIMENSION	CUT OUT	CCT (K)	BEAM ANGLE	CRI	MATERIAL	LED BRAND
	8W	71mm x 35mm	-	3000k/4000k/6500k/ 3000-6500 (Tunable)	34°	80/90	Aluminum with Sand Finish Coating	Cree/Goldi/Bridgelux
	15W	115mm x 35mm	-	3000k/4000k/6500k/ 3000-6500 (Tunable)	34°	80/90	Aluminum with Sand Finish Coating	Cree/Goldi/Bridgelux

NL INTENSE



WATT	DIMENSION	CUT OUT	CCT (K)	BEAM ANGLE	CRI	MATERIAL	LED BRAND
12W	85mm x 58mm	75mm	3000k/4000k/6500k/ 3000-6500 (Tunable)	38°	80/90	Aluminum with Sand Finish Coating	Cree/Goldi/Bridgelux

NL ABSOLUTE



WATT	DIMENSION	CUT OUT	CCT (K)	BEAM ANGLE	CRI	MATERIAL	LED BRAND
12W	88mm x 65mm	75mm	3000k/4000k/6500k/ 3000-6500 (Tunable)	90°	80/90	Aluminum with Sand Finish Coating	Cree/Goldi/Bridgelux
20W	110mm x 75mm	95mm	3000k/4000k/6500k/ 3000-6500 (Tunable)	90°	80/90	Aluminum with Sand Finish Coating	Cree/Goldi/Bridgelux
30W	138mm x 96mm	125mm	3000k/4000k/6500k/ 3000-6500 (Tunable)	90°	80/90	Aluminum with Sand Finish Coating	Cree/Goldi/Bridgelux
40W	160mm x 110mm	150mm	3000k/4000k/6500k/ 3000-6500 (Tunable)	90°	80/90	Aluminum with Sand Finish Coating	Cree/Goldi/Bridgelux


TC Track



TH Track



TC & TH Corner



TC Power Supply



100w

TH Power Supply



DC Straight Connector




Hanging Set



DC Connector




TC & TH End Caps



NL LASER BLADE


Watts	6W
Size	112 x 22 x 25 (in mm)
LED	
Driver	
Beam Angle	30deg
CCT	3K/4K/6K
Cutout	
Finish	Black



CREE **FULHAM**
Harness the Horsepower
Shinland Optics **PHILIPS**

NL LASER BLADE


Watts	12W
Size	220 x 22 x 25 (in mm)
LED	
Driver	
Beam Angle	30deg
CCT	3K/4K/6K
Cutout	
Finish	Black



CREE **FULHAM**
Harness the Horsepower
Shinland Optics **PHILIPS**

NL MOVABLE LASER BLADE

Watts	6W
Size	112 x 22 x 90 (in mm)
LED	
Driver	
Beam Angle	30deg
CCT	3K/4K/6K
Cutout	
Finish	Black



CREE **FULHAM**
Harness the Horsepower
Shinland Optics **PHILIPS**

NL MOVABLE LASER BLADE


Watts	12W
Size	220 x 22 x 90 (in mm)
LED	
Driver	
Beam Angle	30deg
CCT	3K/4K/6K
Cutout	
Finish	Black



CREE **FULHAM**
Harness the Horsepower
Shinland Optics **PHILIPS**

NL DIFFUSED LINEAR DOWNLIGHT


Watts	8W
Size	220 x 22 x 25 (in mm)
LED	
Driver	
Beam Angle	105deg
CCT	3K/4K/6K
Cutout	
Finish	Black



CREE **FULHAM**
Harness the Horsepower
Shinland Optics **PHILIPS**

NL DIFFUSED LINEAR DOWNLIGHT

Watts	12W
Size	303 x 22 x 25 (in mm)
LED	
Driver	
Beam Angle	105deg
CCT	3K/4K/6K
Cutout	
Finish	Black



CREE **FULHAM**
Harness the Horsepower
Shinland Optics **PHILIPS**

NL TRACK LIGHT

Watts	6W
Size	35 x 90 x 105 (in mm)
LED	
Driver	
Beam Angle	24deg
CCT	3K/4K/6K
Cutout	
Finish	Black



CREE **FULHAM**
Harness the Horsepower
Shinland Optics **PHILIPS**

NL DIFFUSED LINEAR DOWNLIGHT


Watts	12W
Size	48 x 150 x 120 (in mm)
LED	
Driver	
Beam Angle	24deg
CCT	3K/4K/6K
Cutout	
Finish	Black



CREE **FULHAM**
Harness the Horsepower
Shinland Optics **PHILIPS**

NL LASER WALL WASHER


Watts	6W
Size	132 x 22 x 42 (in mm)
LED	
Driver	
Beam Angle	30deg
CCT	3K/4K/6K
Cutout	
Finish	Black



CREE **FULHAM**
Harness the Horsepower
Shinland Optics **PHILIPS**

NL LASER WALL WASHER


Watts	12W
Size	246 x 22 x 42 (in mm)
LED	
Driver	
Beam Angle	30deg
CCT	3K/4K/6K
Cutout	
Finish	Black



CREE **FULHAM**
Harness the Horsepower
Shinland Optics **PHILIPS**

NL LASER WALL WASHER


Watts	8W
Size	110 x 22 x 42 (in mm)
LED	
Driver	
Beam Angle	30deg
CCT	3K/4K/6K
Cutout	
Finish	Black



CREE **FULHAM**
Harness the Horsepower
Shinland Optics **PHILIPS**

NL CORNER DIFFUSED DOWNLIGHT


Watts	
Size	300 x 320 x 25 (in mm)
LED	
Driver	
Beam Angle	105deg
CCT	3K/4K/6K
Cutout	
Finish	Black



CREE **FULHAM**
Harness the Horsepower
Shinland Optics **PHILIPS**

NL CORNER DIFFUSED DOWNLIGHT


Watts	
Size	300 x 320 x 25 (in mm)
LED	
Driver	
Beam Angle	105deg
CCT	3K/4K/6K
Cutout	
Finish	Black



CREE **FULHAM**
Harness the Horsepower
Shinland Optics **PHILIPS**

NL LASER WALL WASHER


Watts	
Size	33 x 47 (in mm)
LED	
Driver	
Beam Angle	
CCT	
Cutout	
Finish	Black



CREE **FULHAM**
Harness the Horsepower
Shinland Optics **PHILIPS**

NL LASER WALL WASHER


Watts	
Size	26 x 53 (in mm)
LED	
Driver	
Beam Angle	
CCT	
Cutout	
Finish	Black



CREE **FULHAM**
Harness the Horsepower
Shinland Optics **PHILIPS**

NL EXO


Watts	12W
Size	D120*H50mm
LED	Cree
Driver	Fulham/Eaglerise
Beam Angle	120deg
CCT	3K/4K/6K
Cutout	110mm
Finish	PKW



CREE **FULHAM**
Harness the Horsepower
Shinland Optics **PHILIPS**

NL EXO


Watts	18W
Size	D158*H50mm
LED	Cree
Driver	Fulham/Eaglerise
Beam Angle	120deg
CCT	3K/4K/6K
Cutout	145mm
Finish	PKW



CREE **FULHAM**
Harness the Horsepower
Shinland Optics **PHILIPS**

NL EXO

Watts	24W
Size	D175*H58mm
LED	Cree
Driver	Fulham/Eaglerise
Beam Angle	120deg
CCT	3K/4K/6K
Cutout	165mm
Finish	PKW



CREE **FULHAM**
Harness the Horsepower
Shinland Optics **PHILIPS**

NL ORB


Watts	16W
Size	D120*H35mm
LED	Cree
Driver	Fulham/Eaglerise
Beam Angle	120deg
CCT	3K/4K/6K
Cutout	
Finish	PKW/BK



CREE **FULHAM**
Harness the Horsepower
Shinland Optics **PHILIPS**

NL ORB


Watts	24W
Size	D175*H35mm
LED	Cree
Driver	Fulham/Eaglerise
Beam Angle	120deg
CCT	3K/4K/6K
Cutout	
Finish	PKW/BK



CREE **FULHAM**
Harness the Horsepower
Shinland Optics **PHILIPS**

NL ORB


Watts	35W
Size	D225*H35mm
LED	Cree
Driver	Fulham/Eaglerise
Beam Angle	120deg
CCT	3K/4K/6K
Cutout	
Finish	PKW/BK



CREE **FULHAM**
Harness the Horsepower
Shinland Optics **PHILIPS**


NL ORB

Watts	48W
Size	D300*H35mm
LED	Cree
Driver	Fulham/Eaglerise
Beam Angle	120deg
CCT	3K/4K/6K
Cutout	
Finish	PKW/BK



NL Cache

Watts	7W
Size	57*55mm
LED	Cree
Driver	Fulham/Eaglerise
Beam Angle	120deg
CCT	3K/4K/6K
Cutout	
Finish	PKW/BK



CREE **FULHAM**
Harness the Horsepower
Shinland Optics **PHILIPS**

NL Cache

Watts	12W
Size	72*69mm
LED	Cree
Driver	Fulham/Eaglerise
Beam Angle	120deg
CCT	3K/4K/6K
Cutout	
Finish	PKW/BK



CREE **FULHAM**
Harness the Horsepower
Shinland Optics **PHILIPS**

NL Cans


Watts	7/9W
Size	90*55mm
LED	Cree
Driver	Fulham/Eaglerise
Beam Angle	120deg
CCT	3K/4K/6K
Cutout	
Finish	PKW/BK/Rgd



CREE **FULHAM**
Harness the Horsepower
Shinland Optics **PHILIPS**

NL Cans


Watts	10/12W
Size	110*75mm
LED	Cree
Driver	Fulham/Eaglerise
Beam Angle	120deg
CCT	3K/4K/6K
Cutout	
Finish	PKW/BK/Rgd



CREE **FULHAM**
Harness the Horsepower
Shinland Optics **PHILIPS**





NL Cans

Watts	15/18W
Size	130*75mm
LED	Cree
Driver	Fulham/Eaglerise
Beam Angle	120deg
CCT	3K/4K/6K
Cutout	
Finish	PKW/BK




CREE **FULHAM**
Harness the Horsepower
Shinland Optics **PHILIPS**

LED ALUMINIUM PROFILE




LED ALUMINIUM PROFILE


DG-A006




DG-A007




DG-A008





DG-A009






DG-A010




LED ALUMINIUM PROFILE



LED ALUMINIUM PROFILE




LED ALUMINIUM PROFILE




DG-A021




DG-A022



DG-A023



DG-A024




DG-A025




LED ALUMINIUM PROFILE

DG-A026




DG-A027




DG-A028



DG-A029




DG-A030





INDIRECT LIGHT PROFILE

LED ALUMINIUM PROFILE




LED ALUMINIUM PROFILE





LED ALUMINIUM PROFILE


DG-A041




DG-A042



DG-A043



DG-A044




DG-A045




LED ALUMINIUM PROFILE

DG-A046




DG-A047




WATERPROOF PROFILE

DG-A048



WATERPROOF PROFILE


DG-A049



FURNITURE PROFILE

ASYMMETRIC LIGHTING

DG-A050




GLASS SELF PROFILE


LED ALUMINIUM PROFILE




LED ALUMINIUM PROFILE



LED ALUMINIUM PROFILE





LED ALUMINIUM PROFILE



DG-A068
14MM SURFACE

14.2 8.7






DG-A069
12MM CONCEAL

17 10 12






DG-A070
12MM SURFACE

10 12






DG-A071
13MM SURFACE

12.4 7 13.2






DG-A072

27.3 19.8 18.3 30


Furniture Profile Up & Down







DG-A073



46.7mm 20mm 35mm



LED ALUMINIUM PROFILE



LED ALUMINIUM PROFILE





CLEAR COVER

LED ALUMINIUM PROFILE

